



5'	-3'	exp	
cggggcaccccgcccgagcgcgcggcaccuuggcucuaagacugcuuacugcccgggccgcccucaguaacagucuccagucacggccaccgacgcucggcccccgc	reads	mm	sample
(((((...((...)))-(((...(((...(((...((((...((((...((((...(((...)))...))..	3	0	hsa
.....accuuggcucuaagacugcuua.....	1	1	hsa
.....accuuggcucuaagacugcAua.....	17	0	hsa
.....accuuggcucuaagacugcuuac.....	90	0	hsa
.....acUuuggcucuaagacugcuuacu.....	2	1	hsa
.....accuugUcucuaagacugcuuacu.....	1	1	hsa
.....accuuggcucuaag6cugcuuacug.....	1	1	hsa
.....accuuggcucuaagacugcuuacuA.....	1	1	hsa
.....accuuggAucuaagacugcuuacug.....	1	1	hsa
.....accuuggcucuaagacugcuuacug.....	67	0	hsa
.....accuuggcucuaagacugcuuacuU.....	1	1	hsa
.....accuuggcucuaagacugcuuacugU.....	42	1	hsa
.....accuuggcucuaagacugcuuacugA.....	4	1	hsa
.....accuuggcucuaagacugcuuacugcU.....	1	1	hsa
.....ccuuggcucuaagacugcuuac.....	3	0	hsa
.....Acuuggcucuaagacugcuuacu.....	1	1	hsa
.....ccuuggcucuaagacugcuuacu.....	4	0	hsa
.....ccuuggcucuaagacugcuuacug.....	3	0	hsa
.....ccuuggcucuaagacugcuuacugU.....	2	1	hsa
.....cuuggcucuaagacugcuuacu.....	2	0	hsa
.....cuuggcucuaagacugcuuacug.....	1	0	hsa
.....Uuuggcucuaagacugcuuacug.....	1	1	hsa
.....guaacagucuccagucacggcca.....	1	0	hsa
.....uaacagucuccagucacggcca.....	8	0	hsa
.....uaacagucuccagucacggccaA.....	1	1	hsa
.....uaacagucuccagucacggccaU.....	2	1	hsa
.....uaacagucuccagucacggccac.....	1	0	hsa
.....uaacagucuccagucacggccacU.....	4	1	hsa
.....uaacagucuccagucacggccacA.....	3	1	hsa