


```
remaining reads      : 1
```



hsa-miR-449a

5'	3'	exp	reads	mm	sample
cugugugugaugagc <u>uggcaguguaauuguagcuggu</u> ugaauaugugaauaggcaucggcuaacaugcaacugcugucuuauugcauauaca .(((((((.((((((.(((((((((((.(((((((((((.(((...)))..)))))))))))))))).)))))))).))))))..					
.....Aggcaguguaauuguuagcu.....			2	1	hsa
.....uggcaguguaauuguuagcu.....			4	0	hsa
.....uggcaguguaauuguuagcug.....			2	0	hsa
.....Aggcaguguaauuguuagcug.....			2	1	hsa
.....uggcaguguaauuguuagcugg.....			12	0	hsa
.....uggcaguguaauuguuagcuggA.....			1	1	hsa
.....uggcaguguaauuguuagcuggu.....			1	1	hsa
.....uggcaguguaauuguuagcCgu.....			1	1	hsa
.....uggcaguguaauuuuagcuggu.....			2	1	hsa
.....uggcaguguaauuguuagcuUgu.....			2	1	hsa
.....uggcaguguaauuguuCGcuggu.....			1	1	hsa
.....uggcaguguCuuuguuagcuggu.....			1	1	hsa
.....uggcaguguaauuguuagcuggu.....			230	0	hsa
.....uggcaguguaauuguuagcugguA.....			26	1	hsa
.....uggcaguguaauuguuagcugguu.....			9	0	hsa
.....uggcaguguaauuguuagcugguuA.....			1	1	hsa
.....cggcuaacaugcaacugcug.....			1	0	hsa