



5' -	-3'	exp	
gcuu <u>gaugaucgucguagucgugcgggugaucccgauaggugugagcuggaaaugggguguc</u> <u>uacgucaucguugucaucgucaucaucaucauccgag</u>	reads	mm	sample
(..(((((((.(.(....)).(((((((.(.(((.(.....))))).)))).).)))))))..)))))..)))))..)))))..))...)	8	0	hsa
.....uacgucaucguugucaucg.....	9	0	hsa
.....uacgucaucguugucaucAuc.....	1	1	hsa
.....uacgucaucguugucaucguc.....	30	0	hsa
.....uacgucaucguugucaucUuca.....	1	1	hsa
.....uacgucaucguugucaucgucU.....	9	1	hsa
.....uacgucaucAuugucaucguca.....	1	1	hsa
.....uacgucaucUuugucaucguca.....	1	1	hsa
.....uacguUaucguugucaucguca.....	2	1	hsa
.....uGcgucaucguugucaucguca.....	1	1	hsa
.....uacgucGucguugucaucguca.....	1	1	hsa
.....uacgucaucguugucaucguca.....	266	0	hsa
.....uacgucaucguugucauUguca.....	1	1	hsa
.....uacgucaucguuguUaucguca.....	3	1	hsa
.....uacgucaucguugucaucgucau.....	122	0	hsa
.....uacgucaucguugucaucgucaA.....	7	1	hsa
.....uacgucaucguugucauUgucau.....	1	1	hsa
.....uacAucaucguugucaucgucau.....	1	1	hsa
.....uacgucaucguugucaucgu6au.....	1	1	hsa
.....uacgucaucguugucaucCucau.....	1	1	hsa
.....uacgucaucguugucaucgucUu.....	2	1	hsa
.....uacgucCucguugucaucgucau.....	2	1	hsa
.....uacgucaucguugucaucgucauA.....	5	1	hsa
.....uacgucaucguugucaucgucauU.....	47	1	hsa
.....uacgucaucguugucaucgucaucU.....	1	1	hsa
.....acgucaucguugucaucguca.....	1	0	hsa
.....acgucaucguugucaucgucau.....	4	0	hsa
.....acgucaucguugucaucgucauU.....	1	1	hsa
.....cgucaucguugucaucguca.....	1	0	hsa
.....cgucaucguugucaucgucauU.....	2	1	hsa
.....gucaucguugucaucguca.....	1	0	hsa